

L'état des lieux et la gestion de l'amiante
et des résidus miniers amiantés

242

6212-02-009 ASBESTOS

260. Ashcroft T. Epidemiological and quantitative relationships between mesothelioma and asbestos on Tyneside. *J Clin Pathol* 1973;26:436.
261. Hain E, Dalquen P, Bohligh H, et al. Retrospective study of 150 cases of mesothelioma in Hamburg. *Int Arch Arbeitsmed* 1974;33:15.
262. Zielhuis RL, Versteeg JPJ, Planteydt HT. Pleural mesothelioma and exposure to asbestos: A retrospective case-control study in The Netherlands. *Int Arch Occup Environ Health* 1975;36:1.
263. McDonald JC, McDonald AD. The epidemiology of mesothelioma in historical context. *Fur Resp J* 1996;9(9):1932-1942.
264. Pinto C, Soffritti C, Maltoni C. Ignored occupational risks of asbestos mesothelioma. *La Medicina del Lavoro* 1995;86(5):484.
265. Dodson RF, O'Sullivan MF, Brooks DR, Bruce JR. Asbestos content of omentum and mesentery in non-occupationally exposed individuals. *Toxicol Ind Health* 2001;17(4):138-143.
266. Bonser GM, Faulds JS, Stewart MJ. Occupational cancer. *Am J Clin Pathol* 1955;25:126.
267. Enticknap JB, Smither WJ. Peritoneal tumours in asbestosis. *Brit J Ind Med* 1964;21:20.
268. Heard BE, Rogers W. The pathology of asbestosis with reference to lung function. *Thorax* 1961;16:264.
269. Frenkel M, Jager H. Mesothelioma peritonei in asbestosis pulmonum. *Jaarb Kankeronderz Kankrbestrijd Ned* 1961;11:99 (Translated by the Department of Health, Education, and Welfare, Division of Occupational Health in January 1964).
270. Thomson JG. Mesothelioma of pleura or peritoneum and limited basal asbestosis. *SA Med J* 1962;36:759.
271. Hourihane DB. The pathology of mesotheliomata and an analysis of their association with asbestos exposure. *Thorax* 1964;19:268.
272. Owen WG. Diffuse mesothelioma and exposure to asbestos dust in the Merseyside area. *Brit Med J* 1964;5403:214.
273. Mann RH, Grosh JL, O'Donnell WM. Mesothelioma associated with asbestosis. *Cancer* 1966;19:521.
274. O'Donnell WM, Mann RH, Grosch JL. Asbestos, an extrinsic factor in the pathogenesis of bronchogenic carcinoma and mesothelioma. *Cancer* 1966;19(4):1143 (Abstracted in the Industrial Hygiene Bulletin of May 1966).
275. Kobayashi Y, Murakami R, Ogura J, Yamamoto K, Ichikawa T, Nagasawa K, Hosone M, Kumazaki T. Primary pericardial mesothelioma: A case report. *Eur Radiol* 2001;11(11):2258-2261.
276. Churg A, Warnock ML, Bensch KG. Malignant mesothelioma arising after direct application of asbestos and fiber glass to the pericardium. *Am Rev Resp Dis* 1978;118(2):419.
277. Paterson, A., Grundy R, de Goyet J, Raafat F, Beath S, McCarthy A. Congenital malignant peritoneal mesothelioma. *Pediat Radiol* 2002;33(1):73-74.
278. NIOSH. Exposure to asbestiform compounds. Unpublished provisional data as of 7/1/90. National Occupational Exposure survey (1981-1983), National Institute for Occupational Safety and Health. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control. February 27, 1991.
279. Lloyd JW. Asbestos: Asbestos exposure during servicing of motor vehicle brake and clutch assemblies. *Curr Intell Bull* August 8, 1975:5.
280. Nicholson WJ, Pirkel G, Selikoff IJ. Occupational exposure to asbestos: Population at risk and projected mortality—1980-2030. *Am J Ind Med* 1982;3:259-311.
281. Reitze WB, Nicholson WJ, Holaday DA, Selikoff IJ. Application of sprayed inorganic fiber containing asbestos: occupational health hazards. *Am Ind Hyg Assoc J* 1972;33:179-191.
282. Cook PM, Olson GF. Ingested mineral fibers: Elimination in human urine. *Science* 1979;204:195.
283. Bohligh H, Hain E. Cancer in relation to environmental exposure, *Biological Effects of Asbestos*, IARC Scientific Publication; 1973;8:217-221.
284. Nicholson WJ. The comparative mortality experience of three cohorts of asbestos workers. *Proceedings*

316. Cook WA. The occupational disease hazard. *Ind Med* 1942;11(4):193.
317. Hemeon WCL. Sight-perception dust scale—Tables 1–8, *Plant and Process Ventilation*. New York: The Industrial Press; 1955: 15.
318. Oliver T. *Dangerous Trades*. EP Dutton and Co., New York and John Murray, London; 1902.
319. The Chief Inspector of Factories, 1910. *Annual Report for the Year 1910*. London, England: HM Stationery Office; 1911.
320. Willson F. The very least an employer should know about dust and fume diseases. *Safety Eng* 1931; LXII(5):317–318.
321. Bloomfield JJ, Dallavalle JM. The determination and control of industrial dust. *Pub Health Bull* 1935;217.
322. Selikoff IJ, Greenberg M. A landmark case in asbestosis. *JAMA* 1991;265(7):898.
323. Fleischer WE, Viles FJ, Gade RL, Drinker P. A health survey of pipe covering operations in constructing Navy vessels. *J Ind Hyg Tox* 1946;28(1):9–16.
324. Leathart GI, Sanderson JT. Some observations on asbestosis. *Ann Occup Hyg* 1963;6:63.
325. Marr W. Survey of William Marr, Chief industrial hygienist at the Long Beach Naval Shipyards, T/P Exhib 146, *Glover v. Johns-Manville Corp. v. United States of America*, 1964.
326. Selikoff IJ, Churg J, Hammond EC. The occurrence of asbestosis among asbestos insulation workers. *Ann NY Acad Sci* 1965;132:139.
327. Balzer JL, Cooper WC. The work environment of insulating workers. *Am J Ind Hyg* 1968;29(3):222–227.
328. Dodson RF, Mark AL, Atkinson AL, O'Sullivan M. Stability of ferruginous bodies in human lung tissue following death, embalment, and burial. *Inh Tox* 2005;17L:789–795.
329. Dement JM. Carcinogenicity of asbestos—Differences by fiber type? *Proceedings of the 2001 Asbestos Health Effects Conference*. Oakland, CA: U.S. Environmental Protection Agency, May 24–25, 2001.
330. Tossavainen A, Riala R, Kampl R, et al. Dust Measurements in the Chrysotile Mining and Milling Operations of Uralasbest Company, Asbest, Russia, Finnish Institute of Occupational Health, Finland, National Institute for Occupational Safety and Health, Morgantown, USA, Russian Academy of Medical Sciences, Institute of Occupational Health, Moscow, Russia and Medical Research Center for Prophylactic and Health Protection of Industrial Workers, Ekaterinburg, Russia, Helsinki, 1996.
331. Suzuki Y, Kolyneva N. Translocation of inhaled asbestos fibers from the lung to other tissues. *Am J Ind Med* 1991;19:701–704.
332. Suzuki Y, Yuen SR. Asbestos fibers contributing to the induction of human malignant mesothelioma. *Ann NY Acad Sci* 2002;982:160–176.
333. Stayner LT, Dankovic DA, Lerner RA. Occupational exposure to chrysotile asbestos and cancer risk: A review of the amphibole hypothesis. *Am J Publ Health* 1996;86(2):179.
334. Rodelsperger K, Jockei K-H, Pohlabein H, Romer, Weitowitz H-J. Asbestos and man-made vitreous fibers as risk factors for diffuse malignant mesothelioma: Results from a German hospital-based case-control study. *Am J Ind Med* 2001;39:262.
335. IPCS. Environmental Health Criteria 203: Chrysotile asbestos, International Program on Chemical Safety, World Health Organization; 1998: 107.
336. NIOSH. Workplace exposure to asbestos: Review and recommendations, DHHS (NIOSH) Publication 81-103. NIOSH-OSHA Asbestos Work Group, April. U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, U.S. Department of Labor, Occupational Safety and Health Administration; 1980.
337. NIOSH. Revised recommended asbestos standard. DHEW (NIOSH) Publication 77-169, U.S. Department of Health, Education, and Welfare, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health; December, 1976.
338. Iwatsubo Y, Briscoe IC, Boutin C, et al. Pleural mesothelioma: Dose-response relation at low levels of

316. Cook WA. The occupational disease hazard. *Ind Med* 1942;11(4):193.
317. Hemeon WCL. Sight-perception dust scale—Tables 1–8, *Plant and Process Ventilation*. New York: The Industrial Press; 1955: 15.
318. Oliver T. *Dangerous Trades*. EP Dutton and Co., New York and John Murray, London; 1902.
319. The Chief Inspector of Factories, 1910. *Annual Report for the Year 1910*. London, England: HM Stationery Office; 1911.
320. Willson F. The very least an employer should know about dust and fume diseases. *Safety Eng* 1931; LXII(5):317–318.
321. Bloomfield JJ, Dallavalle JM. The determination and control of industrial dust. *Pub Health Bull* 1935;217.
322. Selikoff IJ, Greenberg M. A landmark case in asbestosis. *JAMA* 1991;265(7):898.
323. Fleischer WE, Viles FJ, Gade RL, Drinker P. A health survey of pipe covering operations in constructing Navy vessels. *J Ind Hyg Tox* 1946;28(1):9–16.
324. Leathart GI, Sanderson JT. Some observations on asbestosis. *Ann Occup Hyg* 1963;6:63.
325. Marr W. Survey of William Marr, Chief industrial hygienist at the Long Beach Naval Shipyards, T/P Exhib 146, Glover v. Johns-Manville Corp. v. United States of America, 1964.
326. Selikoff IJ, Churg J, Hammond EC. The occurrence of asbestosis among asbestos insulation workers. *Ann NY Acad Sci* 1965;132:139.
327. Balzer JL, Cooper WC. The work environment of insulating workers. *Am J Ind Hyg* 1968;29(3):222–227.
328. Dodson RF, Mark AL, Atkinson AL, O'Sullivan M. Stability of ferruginous bodies in human lung tissue following death, embalment, and burial. *Inh Tox* 2005;17L:789–795.
329. Dement JM. Carcinogenicity of asbestos—Differences by fiber type? *Proceedings of the 2001 Asbestos Health Effects Conference*. Oakland, CA: U.S. Environmental Protection Agency, May 24–25, 2001.
330. Tossavainen A, Riala R, Kamppil R, et al. Dust Measurements in the Chrysotile Mining and Milling Operations of Uralasbest Company, Asbest, Russia, Finnish Institute of Occupational Health, Finland, National Institute for Occupational Safety and Health, Morgantown, USA, Russian Academy of Medical Sciences, Institute of Occupational Health, Moscow, Russia and Medical Research Center for Prophylactic and Health Protection of Industrial Workers, Ekaterinburg, Russia, Helsinki, 1996.
331. Suzuki Y, Kolynema N. Translocation of inhaled asbestos fibers from the lung to other tissues. *Am J Ind Med* 1991;19:701–704.
332. Suzuki Y, Yuen SR. Asbestos fibers contributing to the induction of human malignant mesothelioma. *Ann NY Acad Sci* 2002;982:160–176.
333. Stayner LT, Dankovic DA, Lermen RA. Occupational exposure to chrysotile asbestos and cancer risk: A review of the amphibole hypothesis. *Am J Publ Health* 1996;86(2):179.
334. Rodelsperger K, Jockei K-H, Pohlabeln H, Romer, Woitowitz H-J. Asbestos and man-made vitreous fibers as risk factors for diffuse malignant mesothelioma: Results from a German hospital-based case-control study. *Am J Ind Med* 2001;39:262.
335. IPCS. Environmental Health Criteria 203: Chrysotile asbestos, International Program on Chemical Safety. World Health Organization; 1998: 107.
336. NIOSH. Workplace exposure to asbestos: Review and recommendations, DHHS (NIOSH) Publication 81-103. NIOSH-OSHA Asbestos Work Group, April. U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, U.S. Department of Labor, Occupational Safety and Health Administration; 1980.
337. NIOSH. Revised recommended asbestos standard. DHEW (NIOSH) Publication 77-169, U.S. Department of Health, Education, and Welfare, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health; December, 1976.
338. Iwatsubo Y, Pairon JC, Boutin C, et al. Pleural mesothelioma: Dose-response relation at low levels of asbestos exposure in a French population-based case-control study. *Am J Epidemiol* 1998;148(2):133.
339. Valic F. The asbestos dilemma: I. Assessment of risk. *Arh Hig Tada Toksikol* 2002;53:153.
340. Roach SA. Measurement of airborne asbestos dust by instruments measuring different parameters: Discussion. *Ann NY Acad Sci* 1965;132(1):336.
341. DOL. Title 29, Labor. *Federal Register*, 25, No. 36; 1543, Saturday, February 20, Washington, Part II, 1960.
342. Cooper WC. Asbestos as a hazard to health—Fact and speculation. *Am Acad Occup Med Arch Environ Health* 1967;15:285.

343. Lane RE. Hygiene standards for chrysotile asbestos dust. *Ann Occup Hyg* 1968;2(2):47.
344. Ayer HE, Lynch JR, Fanney JH. A Comparison of impinger and membrane filter techniques for evaluating air samples in asbestos plants. *Ann NY Acad Sci* 1965;132(Article 1):274–287.
345. Peck AS, Serocki JJ. Airborne asbestos measurement: Preliminary findings, identify a new source of variability in the membrane filter method. *Am Ind Hyg Assoc J* 1985;46(3):B14–B16.
346. Loomis D, Dement JM, Wolf SH, Richardson DB. Lung cancer mortality and fiber exposures among north carolina asbestos textile workers. *Occup Environ Med* doi:10.1136/oem.2008.044362 published online March 11, 2009.
347. Dodson RF, Atkinson MAL. Measurements of asbestos burden in tissues. *Ann N Y Acad Sci* 2006;1076:281–291.
348. Stanton MF, Wrench C. Mechanisms of mesothelioma induction with asbestos and fibrous glass. *J Natl Cancer Inst* 1972;48:797.
349. Stanton MF, Laynard M, Tegeris A, et al. Relation of particle dimension to carcinogenicity in amphibole asbestos and other fibrous minerals. *JNCI* 1981;67(5):965.
350. Greenberg M, Fibers S. *Am J Indust Med* 1984;5:421–422 [personal correspondence from Dr. Morris Greenberg, 23 May 2003].
351. Wagner JC, ed. *Biological Effects of Mineral Fibres, International Agency for Research on Cancer, World Health Organization, IARC Scientific Publications 30 and INSERM Symposia Series Volume 92*, Lyon, France, Vols. 1 and 2, 1980.
352. Wylie AG, Virta RL, Segreti JM. Characterization of mineral population by index particle: Implication for the Stanton hypothesis. *Environ Res* 1987;43:427–439.
353. Dement JM, Wallingford KM. Comparison of phase contrast and electron microscopic methods for evaluation of occupational asbestos exposures. *Appl Occup Environ Hyg* 1990;5:242.
354. Sebastien P, Janson K, Gaudichet A, Hirsch A, Bignon J. Asbestos retention in human respiratory tissues comparative measurements in lung parenchyma and in parietal pleura. In: *Biological Effects of Mineral Fibres*, Vol. 1, Wagner JC, ed. World Health Organization, International Agency for Research on Cancer, IARC Scientific Publications No. 30; 1980: 237–246.
355. Oberdorster G. Fiber characteristics, environmental and host factors as determinants of asbestos toxicity. *Proceedings of the 2001 Asbestos Health Effects Conference*, U.S. Environmental Protection Agency, May 24–25, Oakland, CA; 2001.
356. Dement JM, Brown DP. Cohort mortality and case control studies of white male chrysotile asbestos textile workers. *J Occup Med Toxic* 1993;2(4):355.
357. Fubini B. The physical and chemical properties of asbestos fibers which contribute to biological activity. *Proceedings of the 2001 Asbestos Health Effects Conference*, U.S. Environmental Protection Agency, May 24–25, Oakland, CA; 2001.
358. Boffetta P. Health effects of asbestos exposure in humans: A quantitative assessment. *Med Lav* 1998;89(6):4714.
359. Bignon J, Monchaux G, Sebastien P, Hirsch A, Lafuma J. Human and experimental data on translocation of asbestos fibers through the respiratory system. *Ann NY Acad Sci* 1979;330:745–750.
360. Richmond CR. Plutonium-health implications for man. The importance of non-uniform dose-distribution in an organ. *Health Phys* 1975;29(4):525–537.
361. Yeager H, Jr., Russo DA, Yanez M, Gerardi D, Nolan RP, Kagan E, Langer AM. Cytotoxicity of a short-fiber chrysotile asbestos for human alveolar macrophages: Preliminary observations. *Environ Res* 1983;30(1):224–232.
362. Dodson RF, Atkinson MAL, Levin JL. Asbestos fiber length as related to potential pathogenicity: A critical review. *Am J Ind Med* 2003;44:291.
363. ERG. Report on the peer consultation workshop to discuss a proposed protocol to assess asbestos-related risk, Eastern Research Group Inc., Prepared for: USEPA, Contract 68-C-98-148, work assignment 2003-05. Final Report, May 30, 2003.
364. Sappington CO. Preface, *Essentials of Industrial Health*. Philadelphia, J.B. Lippincott Company; 1943.
365. ACGIH. Proceedings of the Eighth Annual Meeting of the American Conference of Governmental Industrial Hygienists (ACGIH), Cincinnati, OH; April 7–13, 1946.
366. DOL. Safety and health standards for contractor performing federal contracts under the Walsh-Healey public contract, US Department of Labor; 1952.
367. DOL. *Federal Register*: 4025, March 27, 1964.